

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 6/30/1987  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Estradiol (Adult Males, Children, Postmenopausal Females, or Individuals on Estrogen-Suppressing Hormone Therapy)**

ARUP test code 0093247

Estradiol by Mass Spec

20.9 pg/mL (Ref Interval: 10.0-42.0)

REFERENCE INTERVAL: Estradiol by Mass Spec

Pre-menopausal: Early follicular 30.0-100.0 pg/mL  
Pre-menopausal: Late follicular 100.0-400.0 pg/mL  
Pre-menopausal: Luteal 50.0-150.0 pg/mL  
Post-menopausal 2.0-21.0 pg/mL

REFERENCE INTERVAL: Estradiol by Mass Spec

For a complete set of all established reference intervals, refer to [ltd.aruplab.com/Tests/Pub/0093247](http://ltd.aruplab.com/Tests/Pub/0093247).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Estradiol by Mass Spec	23-065-104196	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: