

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB** 6/14/2004  
**Sex:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Allergen, Fungi and Molds, Candida albicans IgG**

ARUP test code 0097304

Allergen, Fungi/Mold, C. albicans IgG 8.62 mcg/mL (Ref Interval: <=84.00)  
INTERPRETIVE INFORMATION: Allergen, Fungi/Mold, C. albicans IgG  
Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.  
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Fungi/Mold, C. albicans IgG	22-061-156180	3/2/2022 3:14:00 PM	3/8/2022 8:36:01 AM	3/11/2022 11:42:00 AM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

**ARUP LABORATORIES | 800-522-2787 | aruplab.com**  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 22-061-156180  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 1 | Printed: 9/30/2022 7:20:15 AM