

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 6/14/2004  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Allergen, Fungi and Molds, Candida albicans IgG**

ARUP test code 0097304

Allergen, Fungi/Mold, C. albicans IgG

8.62 mcg/mL (Ref Interval: <=84.00)

INTERPRETIVE INFORMATION: Allergen, Fungi/Mold, C. albicans IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Fungi/Mold, C. albicans IgG	22-061-156180	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: