

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 12/26/1991
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Allergen, Fungi and Molds, Aureobasidium pullulans IgG

ARUP test code 0097305

Allergen, Fungi/Mold, A. pullulans IgG **50.00 mcg/mL H (Ref Interval: <=17.50)**
INTERPRETIVE INFORMATION: Allergen, Fungi/Mold, A. pullulan IgG
Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Fungi/Mold, A. pullulans IgG	22-145-111477	5/25/2022 1:17:00 PM	5/25/2022 1:18:02 PM	5/25/2022 1:23:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-145-111477
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 9/30/2022 7:20:18 AM