



Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB** 1/31/1955  
**Sex:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Allergen, Fungi and Molds, Aureobasidium pullulans IgG**

ARUP test code 0097305

Allergen, Fungi/Mold, A. pullulans IgG	<2.00 mcg/mL (Ref Interval: <=17.50)
INTERPRETIVE INFORMATION: Allergen, Fungi/Mold, A. pullulan IgG	
Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.	
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.	

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Fungi/Mold, A. pullulans IgG	21-355-142639	12/21/2021 11:03:00 AM	12/23/2021 10:04:16 PM	12/28/2021 4:35:00 PM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 21-355-142639  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 1 | Printed: 9/30/2022 7:20:21 AM