



Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB** 8/13/2022  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Allergen, Food, Egg Yolk IgG**  
ARUP test code 0097315

Allergen, Food, Egg Yolk IgG

5.73 mcg/mL (Ref Interval: <=19.60)  
INTERPRETIVE INFORMATION: Allergen, Food, Egg Yolk IgG  
Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.  
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Food, Egg Yolk IgG	23-098-103983	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical