

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example
DOB 1/3/2013
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Allergen, Fungi and Molds, Mucor racemosus IgG
ARUP test code 0097316

Allergen, Fungi/Mold, M. racemosus IgG	3.82 mcg/mL	(Ref Interval: <=9.76)
	INTERPRETIVE INFORMATION: Allergen, Fungi/Mold, M. racemosus IgG	
	Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.	
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.	

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Fungi/Mold, M. racemosus IgG	22-306-402788	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical