

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

## Patient: Patient, Example

DOB	12/6/2021
Gender:	Female
<b>Patient Identifiers:</b>	01234567890ABCD, 012345
Visit Number (FIN):	01234567890ABCD
<b>Collection Date:</b>	00/00/0000 00:00

## Allergen, Food, Peanut IgG

Allergen, Food, Peanut IgG	<2.00 mcg/mL INTERPRETIVE INFORMATION: Al	(Ref Interval: <=6.79) lergen, Food, Peanut IgG		
	Values less than 2.00 mcg/mL represent absent or undetec levels of allergen-specific IgG antibody.			
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.			

VERIFIED/REPORTED DATES					
Procedure	Accession	Collected	Received	Verified/Reported	
Allergen, Food, Peanut IgG	22-168-145982	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	

## END OF CHART

## H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruptab.com 500 Chipeta Way, Satt Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director