

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 2/20/2006  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Allergen, Fungi and Molds, Alternaria tenuis IgG**

ARUP test code 0097773

Allergen, Fungi/Mold, A. tenuis IgG

<2.00 mcg/mL (Ref Interval: <=16.70)

INTERPRETIVE INFORMATION: Allergen, Fungi/Mold, A. tenuis IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Fungi/Mold, A. tenuis IgG	22-005-406626	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: