

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/29/1958
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Allergen, Occupational, Isocyanate TDI

ARUP test code 0098420

Allergen, Occupational, Isocyan TDI IgE <0.10 ku/L (Ref Interval: <=0.34)

Allergen, Interpretation

ARUP test code 0055041

Allergen, Interp, Immunocap Score IgE

See Note

REFERENCE INTERVAL: Allergen, Interpretation

Less than 0.10 ku/L.....Class 0.....No significant level detected

0.10-0.34 ku/L.....Class 0/1...Clinical relevance undetermined

0.35-0.70 ku/L.....Class 1.....Low

0.71-3.50 ku/L.....Class 2.....Moderate

3.51-17.50 ku/L.....Class 3.....High

17.51-50.00 ku/L.....Class 4.....Very High

50.01-100.00 ku/L.....Class 5.....Very High

Greater than 100.00ku/L..Class 6.....Very High

Allergen results of 0.10-0.34 ku/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Occupational, Isocyan TDI IgE	20-182-111385	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Interp, Immucap Score IgE	20-182-111385	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical