

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 9/5/1947  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Sirolimus by Tandem Mass Spectrometry**

ARUP test code 0098467

Sirolimus by HPLC-MS/MS

26.2 ng/mL

Therapeutic Range:

Kidney transplant (in combination with Cyclosporine):  
4-12 ng/mL

Toxic value: Greater than 25 ng/mL

A range of 12-20 ng/mL has been suggested for liver transplant. The optimal therapeutic range for a given patient may differ from this suggested range based on the indication for therapy, treatment phase (initiation or maintenance), use in combination with other drugs, time of specimen collection relative to prior dose, type of transplanted organ, and/or the therapeutic approach of the transplant center.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Sirolimus by HPLC-MS/MS	19-281-144454	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical