

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/3/1955
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Prostate Specific Antigen, Ultrasensitive

ARUP test code 0098581

PSA, Ultrasensitive

0.24 ng/mL (Ref Interval: 0.00-4.00)

INTERPRETIVE INFORMATION: PSA Ultra Sensitive

After radical prostatectomy, the reference interval is less than 0.05 ng/mL if there is no residual disease. In healthy individuals without prostatectomy, the reference interval is 4.00 ng/mL or less. Lower limit of detection is 0.01 ng/mL.

The Roche PSA electrochemiluminescent immunoassay is used. Results obtained with different test methods or kits cannot be used interchangeably. The Roche PSA method is approved for use as an aid in the detection of prostate cancer when used in conjunction with a digital rectal exam in individuals with a prostate 50 years and older. The Roche PSA is also indicated for the serial measurement of PSA to aid in the prognosis and management of prostate cancer patients. Elevated PSA concentrations can only suggest the presence of prostate cancer until biopsy is performed. PSA concentrations can also be elevated in benign prostatic hyperplasia or inflammatory conditions of the prostate. PSA is generally not elevated in healthy individuals or individuals with nonprostatic carcinoma.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
PSA, Ultrasensitive	24-342-103130	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: