

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/4/1991
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Plasminogen Activator Inhibitor 1, Activity

ARUP test code 0098781

Plasminogen Activator Inhibit

40.4 IU/mL H (Ref Interval: <=25.0)

TEST INFORMATION: Plasminogen Activator Inhibitor, Activity

Plasminogen Activator Inhibitor 1(PAI-1) has diurnal variation, with higher concentration in the morning and decreased concentration in the afternoon. PAI-1 is also an acute phase reactant. The reference interval was established from fasting samples drawn between 8 am and 12 pm.

This assay was designed primarily to identify elevated PAI-1 Activity, which is thought to be a thrombotic risk factor. Concentrations below 2.0 IU/mL are not accurately quantified by this assay. A test result of less than 2.0 IU/mL is not diagnostic of PAI-1 deficiency and may be seen in normal individuals.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Plasminogen Activator Inhibit	22-175-103142	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: