

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/1/1990
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Complement Component 7

ARUP test code 0099073

Complement Component 7

7.1 mg/dL (Ref Interval: 4.0-11.0)

Low levels of C7 indicate either increased catabolism or decreased synthesis.

This test was performed using a kit that has not been cleared or approved by the FDA. The analytical performance characteristics of this test have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. This test should not be used for diagnosis without confirmation by other medically established means.

Performed by: Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042

I Maramica MD, PhD, MBA,

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Complement Component 7	22-263-401214	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: