

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/18/2007  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Aluminum, Serum**

ARUP test code 0099266

Aluminum, Serum

6.9 ug/L (Ref Interval: 0.0-15.0)

INTERPRETIVE INFORMATION: Aluminum, Serum

serum aluminum greater than 50.0 ug/L is consistent with overload and may correlate with toxicity.

Elevated levels of aluminum in serum should be confirmed with a second specimen due to a high susceptibility of the specimen to collection-related environmental contamination.

See Compliance Statement B: [www.aruplab.com/CS](http://www.aruplab.com/CS)

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Aluminum, Serum	21-014-116438	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: