

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 1/1/1974  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Nickel, Serum**

ARUP test code 0099452

Nickel, Serum

**14.7 ug/L H (Ref Interval: <=10.0)**

INTERPRETIVE INFORMATION: Nickel, Serum

Elevated results may be due to skin or collection-related contamination, including the use of a noncertified metal-free collection/transport tube. If contamination concerns exist due to elevated levels of serum nickel, confirmation with a second specimen collected in a certified metal-free tube is recommended.

Serum nickel testing is intended to detect potentially toxic exposure.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Nickel, Serum	19-317-140483	11/13/2019 11:45:00 AM	11/15/2019 11:30:11 AM	11/19/2019 11:35:00 PM

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: