

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 10/17/1986  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Nickel, Serum**

ARUP test code 0099452

Nickel, Serum

3.1 ug/L (Ref Interval: <=10.0)

INTERPRETIVE INFORMATION: Nickel, Serum

Elevated results may be due to skin or collection-related contamination, including the use of a noncertified metal-free collection/transport tube. If contamination concerns exist due to elevated levels of serum nickel, confirmation with a second specimen collected in a certified metal-free tube is recommended.

Serum nickel testing is intended to detect potentially toxic exposure.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Nickel, Serum	20-203-153674	7/21/2020 2:25:00 PM	7/24/2020 6:14:22 AM	7/27/2020 7:30:00 AM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: