

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 2/19/1998  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Listeria Antibody, Serum by CF**  
ARUP test code 0099529

Listeria Antibody

**1:32 H**

REFERENCE RANGE: <1:8  
INTERPRETIVE CRITERIA:  
<1:8 Antibody Not Detected  
> or = 1:8 Antibody Detected  
The recommended laboratory method for diagnosing Listeria infection is culture. The intended use of this complement fixation assay for Listeria antibodies is to document infection when culture is not performed, or when antibiotic treatment precludes obtaining an accurate culture result. Single titers of > or = 1:8 are suggestive of either recent or past Listeria infection. A four-fold or greater increase in titer between acute and convalescent specimens confirms a diagnosis of recent infection.  
This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.  
Performed at Quest Diagnostics Nichols Institute, 33608 Ortega Highway San Juan Capistrano CA 92675, Irina Maramica MD, Ph.D, Director, CLIA 05D0643352

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Listeria Antibody	22-042-134957	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: