

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/18/1965
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Listeria Antibody, Serum by CF
ARUP test code 0099529

Listeria Antibody

<1:8

REFERENCE RANGE: <1:8
INTERPRETIVE CRITERIA:
<1:8 Antibody Not Detected
> or = 1:8 Antibody Detected
The recommended laboratory method for diagnosing Listeria infection is culture. The intended use of this complement fixation assay for Listeria antibodies is to document infection when culture is not performed, or when antibiotic treatment precludes obtaining an accurate culture result. Single titers of > or = 1:8 are suggestive of either recent or past Listeria infection. A four-fold or greater increase in titer between acute and convalescent specimens confirms a diagnosis of recent infection.
This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.
Performed at Quest Diagnostics Nichols Institute, 33608 Ortega Highway San Juan Capistrano CA 92675, Irina Maramica MD, Ph.D, Director, CLIA 05D0643352

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Listeria Antibody	22-262-105140	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: