

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/31/1752
Sex: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Malaria, Rapid Screen and Giemsa Stain

ARUP test code 2001547

Malaria, Rapid Screen

Positive * (Ref Interval: Negative)

Presumptive positive for P. falciparum by rapid antigen detection. Confirmation results by thin and thick smear microscopy will be reported when completed.

Parasites Smear (Giemsa Stain), Blood

TNP (Ref Interval: Negative)

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Malaria, Rapid Screen	21-145-104309	5/25/2021 9:45:00 AM	5/26/2021 1:40:19 PM	5/26/2021 5:15:00 PM
Parasites Smear (Giemsa Stain), Blood	21-145-104309	5/25/2021 9:45:00 AM	5/26/2021 1:40:19 PM	5/26/2021 5:15:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 21-145-104309
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 10/25/2022 11:39:31 AM