

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/13/1947
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Malaria, Rapid Screen and Giemsa Stain

ARUP test code 2001547

Malaria, Rapid Screen

Positive * (Ref Interval: Negative)

Presumptive positive for P. falciparum by rapid antigen detection. Confirmation results by thin and thick smear microscopy will be reported when completed.

Parasites Smear (Giemsa Stain), Blood

Negative (Ref Interval: Negative)

Results discrepant between Rapid Malaria Screen and Giemsa Stain. For questions regarding possible causes of this discrepancy please contact ARUP Client Services at (800) 522-2787.

Because of the intermittent nature of parasitemia, examination of smears from multiple specimens may be necessary. If the diagnosis of malaria is to be rigorously pursued, examination of 3 specimens taken at 6-8 hour intervals on 3 successive days regardless of clinical symptoms is recommended.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Malaria, Rapid Screen	19-131-400034	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Parasites Smear (Giemsa Stain), Blood	19-131-400034	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical