

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/29/2001
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Malaria, Rapid Screen and Giemsa Stain

ARUP test code 2001547

Malaria, Rapid Screen

Negative (Ref Interval: Negative)
Presumptive negative for malaria antigens by rapid antigen detection. Infection due to malaria cannot be ruled out. Malaria antigen in the sample may be below the detection limit of the test. Confirmation results by thin and thick smear microscopy will be reported when completed.

Parasites Smear (Giemsa Stain), Blood

Negative (Ref Interval: Negative)
Because of the intermittent nature of parasitemia, examination of smears from multiple specimens may be necessary. If the diagnosis of malaria is to be rigorously pursued, examination of 3 specimens taken at 6-8 hour intervals on 3 successive days regardless of clinical symptoms is recommended.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Malaria, Rapid Screen	23-159-122351	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Parasites Smear (Giemsa Stain), Blood	23-159-122351	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: