

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 10/19/2008

Gender: Female

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

Lymphocytic Choriomeningitis (LCM) Virus Antibodies, IgG & IgM

ARUP test code 2001635

LCM Virus Ab, IgG

1:10 * (Ref Interval: <1:10)

INTERPRETIVE INFORMATION: LCM Virus Ab, IgG

<1:10 Negative - No significant level of LCM Virus IgG antibody detected

>=1:10 Positive - Presence of IgG antibody to the LCM virus detected, suggestive of current or past infection.

The best evidence for current infection is a significant change on two appropriately timed specimens, where both tests are done in the same laboratory at the same time.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

LCM Virus Ab, IgM

1:160

*

(Ref Interval: <1:10)

INTERPRETIVE INFORMATION: LCM Virus Ab, IgM

<1:10 Negative - No significant level of LCM Virus IgM antibody detected

>=1:10 Positive - Presence of IgM antibody to the LCM virus detected, suggestive of current or past infection.

The best evidence for current infection is a significant change on two appropriately timed specimens, where both tests are done in the same laboratory at the same time.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

4848



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
LCM Virus Ab, IgG	23-054-401441	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
LCM Virus Ab, IgM	23-054-401441	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

4848