

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 2/1/1991  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Fetal Hemoglobin Determination for Fetomaternal Hemorrhage**

ARUP test code 2001743

Fetal Hgb - Percent Fetal RBCs

1.996 %

INTERPRETIVE INFORMATION: Fetal Hemoglobin, Determination

The fetal RBC percentage is directly measured by flow cytometry and gives the percentage of fetal RBCs in the maternal circulation resulting from recent fetal-maternal hemorrhage. Post-partum, some fetal cells are expected (0.04% plus or minus 0.024%, mean plus or minus SD). For accurate calculation of RhIG dosage that includes maternal height and weight, please refer to the most recent AABB Technical Manual.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Fetal Hgb - Percent Fetal RBCs	21-096-143114	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**