

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/22/1984
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Fetal Hemoglobin Determination for Fetomaternal Hemorrhage

ARUP test code 2001743

Fetal Hgb - Percent Fetal RBCs

0.005 %

INTERPRETIVE INFORMATION: Fetal Hemoglobin, Determination

The fetal RBC percentage is directly measured by flow cytometry and gives the percentage of fetal RBCs in the maternal circulation resulting from recent fetal-maternal hemorrhage. Post-partum, some fetal cells are expected (0.04% plus or minus 0.024%, mean plus or minus SD). For accurate calculation of RhIG dosage that includes maternal height and weight, please refer to the most recent AABB Technical Manual.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

| Procedure | Accession | Collected | Received | Verified/Reported |
|--------------------------------|---------------|------------------|------------------|-------------------|
| Fetal Hgb - Percent Fetal RBCs | 23-171-117421 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: