

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/27/2010
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Bordetella pertussis Antibody, IgG by ELISA with Reflex to Immunoblot

ARUP test code 2001768

B. pertussis Ab, IgG by ELISA 0.63 IV (Ref Interval: <=1.04)

When Bordetella pertussis Antibodies by ELISA testing is negative, no further testing is performed.

INTERPRETIVE INFORMATION: B. pertussis Ab, IgG

- 0.94 IV or less: Negative - No significant level of detectable B. pertussis IgG antibody.
- 0.95-1.04 IV: Equivocal - Repeat testing in 10-14 days may be helpful.
- 1.05 IV or greater: Positive - IgG antibody to B. pertussis detected, which may indicate a current or recent exposure/immunization to B. pertussis

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
B. pertussis Ab, IgG by ELISA	21-021-145906	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: