

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/4/1998
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Bordetella pertussis Antibody, IgM by ELISA with Reflex to Immunoblot

ARUP test code 2001769

B. pertussis Ab, IgM by ELISA **1.8 IV H** (Ref Interval: <=1.1)

Bordetella pertussis Immunoblot to follow.

INTERPRETIVE INFORMATION: B. pertussis Ab, IgM w/Reflex

0.9 IV or less: Negative - No significant level of detectable B. pertussis IgM antibody.
1.0-1.1 IV: Equivocal - Repeat testing in 10-14 days may be helpful.
1.2 IV or greater: Positive - IgM antibody to B. pertussis detected, which may indicate a current or recent exposure/immunization to B. pertussis.

Recommend that treatment decisions be based on the result of the B. pertussis IgM immunoblot test instead of the ELISA test. B. pertussis IgM test by ELISA may produce false-positive results.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement A: aruplab.com/CS

Bordetella pertussis Antibody, IgM by Immunoblot

ARUP test code 2004326

B. pertussis Ab, IgM Immunoblot Interp **Negative** (Ref Interval: Negative)
No IgM antibodies against Bordetella FHA and PT detected.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

B. pertussis, IgM Immunoblot PT **Negative**

B. pertussis, IgM Immunoblot FHA **Negative**

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
B. pertussis Ab, IgM by ELISA	19-011-127064	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
B. pertussis Ab, IgM Immunoblot Interp	19-011-127064	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
B. pertussis, IgM Immunoblot PT	19-011-127064	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
B. pertussis, IgM Immunoblot FHA	19-011-127064	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical