

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/13/1991
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Congenital Adrenal Hyperplasia Treatment Panel

ARUP test code 2002029

17-Hydroxyprogesterone, HPLC-MS/MS 35.00 ng/dL (Ref Interval: <=206.00)

INTERPRETIVE INFORMATION for 17-Hydroxyprogesterone in females:

Follicular 15 to 70 ng/dL
Luteal 35 to 290 ng/dL

REFERENCE INTERVAL: 17-Hydroxyprogesterone Qnt, HPLC-MS/MS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Androstenedione by TMS 0.695 ng/mL (Ref Interval: 0.260-2.140)

INTERPRETIVE INFORMATION: Androstenedione, Females 18 years and older

Post-menopausal: 0.13-0.82 ng/mL

REFERENCE INTERVAL: Androstenedione by TMS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Testosterone, LC-MS/MS 38 ng/dL (Ref Interval: 9-55)

Total Testosterone, Females 18 years and older
Premenopausal 9-55 ng/dL
Postmenopausal 5-32 ng/dL

Total testosterone values may not reflect optimal concentrations in all individuals. Free or bioavailable testosterone measurements may provide supportive information.

H=High, L=Low, *=Abnormal, C=Critical

REFERENCE INTERVAL: Testosterone, LC-MS/MS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
17-Hydroxyprogesterone, HPLC-MS/MS	20-136-134984	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Androstenedione by TMS	20-136-134984	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Testosterone, LC-MS/MS	20-136-134984	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: