

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 3/18/1936
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Porphyrins, Fractionation and Quantitation, Urine

ARUP test code 2002058

Hours Collected	21 hr	
Total Volume	1250 mL	
Creatinine, Urine - per volume	48 mg/dL	
Creatinine, Urine - per 24h	686 mg/d	(Ref Interval: 600-2000)
	Specimen is not the recommended 24-hour collection. Results extrapolated to a 24-hour collection interval. Interpret results with caution.	
Uroporphyrin - ratio to CRT	3 umol/mol CRT	(Ref Interval: 0-4)
Heptacarboxylate - ratio to CRT	<1 umol/mol CRT	(Ref Interval: 0-2)
Coproporphyrin I - ratio to CRT	4 umol/mol CRT	(Ref Interval: 0-6)
Coproporphyrin III - ratio to CRT	8 umol/mol CRT	(Ref Interval: 0-14)
Porphyrin Urine Interpretation	Negative	

H=High, L=Low, *=Abnormal, C=Critical

INTERPRETIVE INFORMATION: Porphyrins, Fractionation and Quantitation, Urine

Results are normalized to creatinine concentration and reported as a ratio of amounts (micromoles of porphyrin/moles of creatinine).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hours Collected	19-294-101952	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Total Volume	19-294-101952	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, Urine - per volume	19-294-101952	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, Urine - per 24h	19-294-101952	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Uroporphyrin - ratio to CRT	19-294-101952	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Heptacarboxylate - ratio to CRT	19-294-101952	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Coproporphyrin I - ratio to CRT	19-294-101952	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Coproporphyrin III - ratio to CRT	19-294-101952	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Porphyrin Urine Interpretation	19-294-101952	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: