

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/22/1992
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Cryoglobulin, Qualitative, with Reflex to Quantitative IgA, IgG, and IgM

ARUP test code 2002063

Cryoglobulin Qualitative Screen	Positive	*	(Ref Interval: NEG 72Hour)
	Cryoglobulin detected at 24 hrs.		
	INTERPRETIVE INFORMATION: Cryoglobulin Qualitative with Reflex		
	The sample is examined daily for the presence or absence of cryoglobulin.		
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.		

Immunoglobulins, Serum Cryoprecipitins (Reflex for 2002063 CRYGB QNT and 2002403 CRYO TYPING only. NOT orderable by clients.)

ARUP test code 2002125

Immunoglobulin G, Cryoprecipitate	12 mg/dL	H	(Ref Interval: 0-0)
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.		
Immunoglobulin A, Cryoprecipitate	3 mg/dL	H	(Ref Interval: 0-0)
Immunoglobulin M, Cryoprecipitate	10 mg/dL	H	(Ref Interval: 0-0)

H=High, L=Low, *=Abnormal, C=Critical



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Cryoglobulin Qualitative Screen	23-220-133833	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Immunoglobulin G, Cryoprecipitate	23-220-133833	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Immunoglobulin A, Cryoprecipitate	23-220-133833	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Immunoglobulin M, Cryoprecipitate	23-220-133833	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical