

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 7/11/1966
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Cryoglobulin, Qualitative, with Reflex to Quantitative IgA, IgG, and IgM
ARUP test code 2002063

Cryoglobulin Qualitative Screen

NEG 72Hour (Ref Interval: NEG 72Hour)

INTERPRETIVE INFORMATION: Cryoglobulin Qualitative
with Reflex

The sample is examined daily for the presence or absence of
cryoglobulin.

This test was developed and its performance characteristics
determined by ARUP Laboratories. It has not been cleared or
approved by the US Food and Drug Administration. This test was
performed in a CLIA certified laboratory and is intended for
clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Cryoglobulin Qualitative Screen	23-220-126229	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-220-126229
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 8/14/2023 9:52:17 AM
4848