

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/17/2006
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Porphyrins and Porphobilinogen (PBG), Urine

ARUP test code 2002181

Hours Collected 24 hr

Per 24h calculations are provided to aid interpretation for collections with a duration of 24 hours and an average daily urine volume. For specimens with notable deviations in collection time or volume, ratios of analytes to a corresponding urine creatinine concentration may assist in result interpretation.

Total Volume 2300 mL

Creatinine, Urine - per volume 55 mg/dL

Creatinine, Urine - per 24h 1265 mg/d (Ref Interval: 500-2300)

Uroporphyrin - ratio to CRT 1 umol/mol CRT (Ref Interval: 0-4)

Heptacarboxylate - ratio to CRT 0 umol/mol CRT (Ref Interval: 0-2)

Coproporphyrin I - ratio to CRT 3 umol/mol CRT (Ref Interval: 0-6)

Coproporphyrin III - ratio to CRT 7 umol/mol CRT (Ref Interval: 0-14)

Porphyrin Urine Interpretation

Negative

INTERPRETIVE INFORMATION: Porphyrins, Fractionation and Quantitation, Urine

Results are normalized to creatinine concentration and reported as a ratio of amounts (micromoles of porphyrin/moles of creatinine).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-263-13811
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 2 | Printed: 10/2/2023 2:43:12 PM
4848

Porphobilinogen (PBG), Urine -per volume < 5 umol/L (Ref Interval: 0.0-8.8)
 INTERPRETIVE INFORMATION: Porphobilinogen (PBG), Urine - per volume

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Porphobilinogen (PBG), Urine -per 24h < 5 umol/d (Ref Interval: 0.0-11.0)

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Hours Collected	23-263-138111	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Total Volume	23-263-138111	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, Urine - per volume	23-263-138111	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, Urine - per 24h	23-263-138111	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Uroporphyrin - ratio to CRT	23-263-138111	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Heptacarboxylate - ratio to CRT	23-263-138111	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Coproporphyrin I - ratio to CRT	23-263-138111	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Coproporphyrin III - ratio to CRT	23-263-138111	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Porphyrin Urine Interpretation	23-263-138111	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Porphobilinogen (PBG), Urine -per volume	23-263-138111	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Porphobilinogen (PBG), Urine -per 24h	23-263-138111	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
 ARUP Accession: 23-263-138111
 Patient Identifiers: 01234567890ABCD, 012345
 Visit Number (FIN): 01234567890ABCD
 Page 2 of 2 | Printed: 10/2/2023 2:43:12 PM
 4848