

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/13/2015  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Bartonella henselae & B. quintana Antibodies, IgG & IgM**

ARUP test code 2002280

Bartonella henselae Antibody IgG

<1:64

INTERPRETIVE INFORMATION: Bartonella henselae Ab, IgG

Less than 1:64 ..... Negative: No significant level of Bartonella henselae IgG antibody detected.  
1:64 - 1:128 ..... Equivocal: Questionable presence of Bartonella henselae IgG antibody detected. Repeat testing in 10-14 days may be helpful.  
1:256 or greater ..... Positive: Presence of IgG antibody to Bartonella henselae detected, suggestive of current or past infection.

A low positive suggests past exposure or infection, while high positive results may indicate recent or current infection, but are inconclusive for diagnosis. Seroconversion between acute and convalescent sera is considered strong evidence of recent infection. The best evidence for infection is significant change on two appropriately timed specimens where both tests are done in the same laboratory at the same time.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Bartonella henselae Antibody IgM

< 1:16

**H=High, L=Low, \*=Abnormal, C=Critical**

INTERPRETIVE INFORMATION: Bartonella henselae Antibody, IgM

Less than 1:16 ..... Negative: No significant level of Bartonella henselae IgM antibody detected.

1:16 or greater ..... Positive: Presence of IgM antibody to Bartonella henselae detected, suggestive of current or recent infection.

The presence of IgM antibodies suggest recent infection, low levels of IgM antibodies may occasionally persist for more than 12 months post infection.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Bartonella quintana Antibody, IgG

<1:64

INTERPRETIVE INFORMATION: Bartonella quintana Antibody, IgG

Less than 1:64 ..... Negative: No significant level of Bartonella quintana IgG antibody detected.

1:64 - 1:128 ..... Equivocal: Questionable presence of Bartonella quintana IgG antibody detected. Repeat testing in 10-14 days may be helpful.

1:256 or greater ..... Positive: Presence of IgG antibody to Bartonella quintana detected, suggestive of current or past infection.

A low positive suggests past exposure or infection, while high positive results may indicate recent or current infection, but is inconclusive for diagnosis. Seroconversion between acute and convalescent sera is considered strong evidence of recent infection. The best evidence for infection is a significant change on two appropriately timed specimens where both tests are done in the same laboratory at the same time.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Bartonella quintana Antibody, IgM

< 1:16

H=High, L=Low, \*=Abnormal, C=Critical

**INTERPRETIVE INFORMATION: Bartonella quintana Ab, IgM**

Less than 1:16 ..... Negative-No significant level of Bartonella quintana IgM antibody detected.  
1:16 or greater ..... Positive-Presence of IgM antibody to Bartonella quintana detected, suggestive of current or recent infection.

The presence of IgM antibodies suggests recent infection. Low levels of IgM antibodies may occasionally persist for more than 12 months post-infection.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

**VERIFIED/REPORTED DATES**

Procedure	Accession	Collected	Received	Verified/Reported
Bartonella henselae Antibody IgG	23-173-108484	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Bartonella henselae Antibody IgM	23-173-108484	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Bartonella quintana Antibody, IgG	23-173-108484	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Bartonella quintana Antibody, IgM	23-173-108484	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

**END OF CHART**

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: