

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 11/11/2008

Male Gender:

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

Bartonella henselae & B. quintana Antibodies, IgG & IgM

ARUP test code 2002280

Bartonella henselae Antibody IgG

>1:1024 Н

INTERPRETIVE INFORMATION: Bartonella henselae Ab, IgG

Less than 1:64 Negative: No significant level of Bartonella henselae IgG antibody

detected.

1:64 - 1:128 Equivocal: Questionable presence of Bartonella henselae IgG

antibody detected. Repeat testing in 10-14 days may be helpful.

1:256 or greater Positive: Presence of IgG

antibody to Bartonella henselae detected, suggestive of current or past infection.

A low positive suggests past exposure or infection, while high positive results may indicate recent or current infection, but are inconclusive for diagnosis. Seroconversion between acute and convalescent sera is considered strong evidence of recent infection. The best evidence for infection is significant change on two appropriately timed specimens where both tests are done in the same laboratory at the same time.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Bartonella henselae Antibody IgM

1:256

*

H=High, L=Low, *=Abnormal, C=Critical

4848



INTERPRETIVE INFORMATION: Bartonella henselae Antibody, IgM

Less than 1:16 Negative: No significant level of Bartonella henselae IgM antibody

detected.

1:16 or greater Positive: Presence of IgM antibody to Bartonella henselae detected, suggestive of current or recent infection.

The presence of IgM antibodies suggest recent infection, low levels of IgM antibodies may occasionally persist for more than 12 months post infection.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Bartonella quintana Antibody, IgG

1:1024

INTERPRETIVE INFORMATION: Bartonella quintana Antibody, IgG

Less than 1:64 Negative: No significant level of Bartonella quintana IgG antibody

detected. Equivocal: Questionable presence of Bartonella quintana IgG 1:64 - 1:128

of Bartonella quintana 1gG
antibody detected. Repeat testing
in 10-14 days may be helpful.

1:256 or greater Positive: Presence of IgG
antibody to Bartonella quintana
detected, suggestive of current
or past infection.

A low positive suggests past exposure or infection, while high positive results may indicate recent or current infection, but is inconclusive for diagnosis. Seroconversion between acute and convalescent sera is considered strong evidence of recent infection. The best evidence for infection is a significant change on two appropriately timed specimens where both tests are done in the same laboratory at the same time.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Bartonella quintana Antibody, IgM

< 1:16

H=High, L=Low, *=Abnormal, C=Critical

4848



INTERPRETIVE INFORMATION: Bartonella quintana Ab, IgM

Less than 1:16 Negative-No significant level of Bartonella quintana IgM antibody

detected.

1:16 or greater Positive-Presence of IgM antibody to Bartonella quintana detected, suggestive of current or recent infection.

The presence of IgM antibodies suggests recent infection. Low levels of IgM antibodies may occasionally persist for more than 12 months post-infection.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes. clinical purposes.

| VERIFIED/REPORTED DATES | | | | |
|-----------------------------------|---------------|------------------|------------------|-------------------|
| Procedure | Accession | Collected | Received | Verified/Reported |
| Bartonella henselae Antibody IgG | 23-163-142134 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| Bartonella henselae Antibody IgM | 23-163-142134 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| Bartonella quintana Antibody, IgG | 23-163-142134 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| Bartonella quintana Antibody, IgM | 23-163-142134 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical