

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/28/2020
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Virilization Panel 2

ARUP test code 2002281

17-Hydroxyprogesterone, HPLC-MS/MS

20.10 ng/dL

INTERPRETIVE INFORMATION for 17-Hydroxyprogesterone in premature and normal male infants:
Premature (26 to 28 weeks) 124 to 841 ng/dL
Premature (29 to 35 weeks) 26 to 568 ng/dL
Full term Day 3 7 to 77 ng/dL
4 days to 2 months Less than 200 ng/dL

REFERENCE INTERVAL: 17-Hydroxyprogesterone Qnt, HPLC-MS/MS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Androstenedione by TMS

0.115 ng/mL L (Ref Interval: 0.200-2.900)

INTERPRETIVE INFORMATION: Androstenedione, Premature infants

Premature infants 26-28 weeks-day 4: 0.92-2.82 ng/mL
Premature infants 31-35 weeks-day 4: 0.80-4.46 ng/mL

REFERENCE INTERVAL: Androstenedione by TMS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Testosterone, LC-MS/MS

11 ng/dL

H=High, L=Low, *=Abnormal, C=Critical

INTERPRETIVE INFORMATION: Total Testosterone, Males less than one month of age

Premature(26-28 weeks): 59-125 ng/dL
Premature(31-35 weeks): 37-198 ng/dL
Newborn: 75-400 ng/dL

Total testosterone values may not reflect optimal concentrations in all individuals. Free or bioavailable testosterone measurements may provide supportive information.

REFERENCE INTERVAL: Testosterone, LC-MS/MS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Dehydroepiandrosterone by TMS

0.951 ng/mL (Ref Interval: <=8.699)

INTERPRETIVE INFORMATION: Dehydroepiandrosterone, Premature infants

Premature: <40 ng/mL

REFERENCE INTERVAL: Dehydroepiandrosterone by TMS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
17-Hydroxyprogesterone, HPLC-MS/MS	20-154-118713	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Androstenedione by TMS	20-154-118713	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Testosterone, LC-MS/MS	20-154-118713	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Dehydroepiandrosterone by TMS	20-154-118713	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical