

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/29/1990
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Congenital Adrenal Hyperplasia Panel, 11-Beta Hydroxylase Deficiency

ARUP test code 2002282

11-Deoxycortisol, HPLC-MS/MS	<10.00 ng/dL	(Ref Interval: <=32.00)
	After metyrapone stimulation: Greater than 8000 ng/dL	
	REFERENCE INTERVAL: 11-Deoxycortisol, HPLC-MS/MS	
	Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).	
	Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS	
<hr/>		
17-Hydroxyprogesterone, HPLC-MS/MS	32.40 ng/dL	(Ref Interval: <=206.00)
	INTERPRETIVE INFORMATION for 17-Hydroxyprogesterone in females:	
	Follicular	15 to 70 ng/dL
	Luteal	35 to 290 ng/dL
	REFERENCE INTERVAL: 17-Hydroxyprogesterone Qnt, HPLC-MS/MS	
	Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).	
	Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS	
<hr/>		
Androstenedione by TMS	0.975 ng/mL	(Ref Interval: 0.260-2.140)
	INTERPRETIVE INFORMATION: Androstenedione, Females 18 years and older	
	Post-menopausal: 0.13-0.82 ng/mL	
	REFERENCE INTERVAL: Androstenedione by TMS	
	Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).	
	Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS	

H=High, L=Low, *=Abnormal, C=Critical

Testosterone, LC-MS/MS

24 ng/dL

(Ref Interval: 9-55)

Total Testosterone, Females 18 years and older
Premenopausal 9-55 ng/dL
Postmenopausal 5-32 ng/dL

Total testosterone values may not reflect optimal concentrations in all individuals. Free or bioavailable testosterone measurements may provide supportive information.

REFERENCE INTERVAL: Testosterone, LC-MS/MS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Dehydroepiandrosterone by TMS

2.632 ng/mL

(Ref Interval: 1.330-7.780)

INTERPRETIVE INFORMATION: Dehydroepiandrosterone, Females 18 years and older:

Postmenopausal: 0.60-5.73 ng/mL

REFERENCE INTERVAL: Dehydroepiandrosterone by TMS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
11-Deoxycortisol, HPLC-MS/MS	20-133-140152	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
17-Hydroxyprogesterone, HPLC-MS/MS	20-133-140152	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Androstenedione by TMS	20-133-140152	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Testosterone, LC-MS/MS	20-133-140152	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Dehydroepiandrosterone by TMS	20-133-140152	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical