

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 4/24/2004  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Congenital Adrenal Hyperplasia Panel, 21-Hydroxylase Deficiency**

ARUP test code 2002283

17-Hydroxyprogesterone, HPLC-MS/MS 77.00 ng/dL (Ref Interval: <=206.00)

INTERPRETIVE INFORMATION for 17-Hydroxyprogesterone in females:

Follicular 15 to 70 ng/dL  
Luteal 35 to 290 ng/dL

REFERENCE INTERVAL: 17-Hydroxyprogesterone Qnt, HPLC-MS/MS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

17-Hydroxypregnenolone Quant, MS/MS, Ser 104 ng/dL (Ref Interval: <=226)

REFERENCE INTERVAL: 17-Hydroxypregnenolone Quant, MS/MS, Ser

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Androstenedione by TMS 1.202 ng/mL (Ref Interval: 0.260-2.140)

INTERPRETIVE INFORMATION: Androstenedione, Females 18 years and older

Post-menopausal: 0.13-0.82 ng/mL

**H=High, L=Low, \*=Abnormal, C=Critical**

REFERENCE INTERVAL: Androstenedione by TMS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Dehydroepiandrosterone by TMS

5.210 ng/mL (Ref Interval: 1.330-7.780)

INTERPRETIVE INFORMATION: Dehydroepiandrosterone, Females 18 years and older:

Postmenopausal: 0.60-5.73 ng/mL

REFERENCE INTERVAL: Dehydroepiandrosterone by TMS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

| Procedure                                | Accession     | Collected        | Received         | Verified/Reported |
|--|---------------|------------------|------------------|-------------------|
| 17-Hydroxyprogesterone, HPLC-MS/MS       | 23-018-401308 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00  |
| 17-Hydroxypregnenolone Quant, MS/MS, Ser | 23-018-401308 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00  |
| Androstenedione by TMS                   | 23-018-401308 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00  |
| Dehydroepiandrosterone by TMS            | 23-018-401308 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00  |

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical