

Patient: [REDACTED]
DOB: [REDACTED] Age: N/A Sex: U
Patient Identifiers: [REDACTED]
Visit Number (FIN): [REDACTED]

Client: [REDACTED]
Physician: [REDACTED]

ARUP Test Code: 2002292
Collection Date: 06/27/2023
Received in lab: 06/27/2023
Completion Date: 06/28/2023

Interpretation

Test Performed: Chromosome Analysis
Specimen Type: Bone Marrow
Indication for Testing: Anemia

Number of cells counted: 20
Number of cells analyzed: 20
Number of cells karyotyped: 16
ISCN band level: 400
Banding method: G-Banding

RESULT
Normal Karyotype (Female)

46,XX[20]

INTERPRETATION
This analysis showed a normal result.

There were no abnormal clones detected within the limits of the technology utilized in this study.

This result has been reviewed and approved by [REDACTED]

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.



Patient: [REDACTED]
ARUP Accession: 23-178-104689

Chromosome Analysis, Bone Marrow

Patient: [REDACTED] | Date of Birth: [REDACTED] | Sex: U | Physician: [REDACTED]
Patient Identifiers: [REDACTED] | Visit Number (FIN): [REDACTED]

Slide ID: 0065

