

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/9/1990
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Chromosome Analysis, Amniotic Fluid

ARUP test code 2002293

Chromosome Analysis, Amniotic Fluid

See Note (Ref Interval: Normal)

Test performed: Chromosome Analysis
Specimen type: Amniotic Fluid
Indication for Testing: Abnormal NIPT

Number of cells counted: 20
Number of colonies counted: 10
Number of cells analyzed: 20
Number of cells karyotyped: 20
ISCN band level: 400
Banding method: G-Banding

RESULT
Normal Karyotype (Male)

46,XY

INTERPRETATION
This analysis showed a normal result.

Health care providers with questions may contact an ARUP genetic counselor at (800) 242-2787 ext. 2141.

The standard cytogenetic methodology used in this analysis may not detect small rearrangements or low-level mosaicism and cannot detect submicroscopic deletions or duplications that are detectable by genomic microarray analysis.

NOTE: FISH analysis for aneuploidy of chromosomes X, Y, 13, 18, and 21 was performed on this sample and reported under ARUP accession 20-350-111168. FISH results were NORMAL.

This result has been reviewed and approved by [REDACTED]

A portion of this analysis was performed at the following location(s):
[REDACTED]

INTERPRETIVE INFORMATION: Chromosome Analysis,
Amniotic Fluid
Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement C: aruplab.com/CS

EER Chromosome Analysis Amniotic Fluid

See Note

H=High, L=Low, *=Abnormal, C=Critical

