

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/1/1980
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

BK Virus, Quantitative PCR, Urine

ARUP test code 2002310

BK Virus, Urine, Source	Urine
BK Virus, Urine, copy/mL	<390 cpy/mL
BK Virus, Urine, log copy/mL	<2.6 log cpy/mL
BK Virus, Urine Interp	<p>Not Detected (Ref Interval: Not Detected)</p> <p>INTERPRETIVE DATA: BK Virus Detection by PCR, Urine</p> <p>The quantitative range of this assay is 2.6-8.6 log copies/mL (390-390,000,000 copies/mL).</p> <p>A negative result (less than 2.6 log copies/mL or less than 390 copies/mL) does not rule out the presence of PCR inhibitors in the patient specimen or BK virus DNA concentrations below the level of detection of the assay. Inhibition may also lead to underestimation of viral quantitation.</p> <p>No international standard is currently available for calibration of this assay. Caution should be taken when interpreting results generated by different assay methodologies.</p> <p>This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.</p>

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
BK Virus, Urine, Source	21-120-400680	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
BK Virus, Urine, copy/mL	21-120-400680	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
BK Virus, Urine, log copy/mL	21-120-400680	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
BK Virus, Urine Interp	21-120-400680	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 21-120-400680
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 5/5/2021 12:04:08 PM
4848