

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/26/1950
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Mismatch Repair by Immunohistochemistry with Reflex to BRAF Codon 600 Mutation and MLH1 Promoter Methylation

ARUP test code 2002327

Mismatch Repair by IHC, Result

Normal

Normal immunohistochemical staining for mismatch repair proteins correlates well with the absence of microsatellite instability by PCR. Since the correlation is not perfect, however, a direct evaluation by PCR may be helpful to exclude the possibility of microsatellite instability (refer to Microsatellite Instability/HNPCC 0051740). Controls worked appropriately.

This result has been reviewed and approved by [REDACTED] M.D., M.S.

INTERPRETIVE INFORMATION: Mismatch Repair by IHC, Result

Immunohistochemical staining for mismatch repair proteins can be used as a surrogate test for microsatellite instability as measured by PCR. Normal results correlate well with the absence of microsatellite instability, while abnormal results correlate well with the presence of microsatellite instability. Abnormal results may also qualify patients for immune checkpoint inhibitor treatment. The immunohistochemical staining pattern can also be used as a guide for the subsequent germline evaluation of mismatch repair genes (refer to Lynch Syndrome - HNPCC) testing algorithm at ARUPconsult.com). Normal staining results consist of any level of staining in the tumor cells (unless evidence of clonal loss). Abnormal staining results consist of complete loss of staining in the tumor cells, in the presence of retained staining in normal (non-tumor) cells, which serve as an internal control. An abnormal overall result may qualify patients for immune checkpoint inhibitor treatment, in the appropriate clinical setting.

Genetic counseling is recommended for the interpretation of all results.

Assay is performed on formalin fixed paraffin-embedded tissue. Antibody clone for MLH1 is ES05, MSH2 is FE11, MSH6 is EP49, and PMS2 is EP51. Detection system is a proprietary polymeric HRP.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Mismatch Repair by IHC with MLH1

Normal

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

Mismatch Repair by IHC with MSH2 Normal

Mismatch Repair by IHC with MSH6 Normal

Mismatch Repair by IHC with PMS2 Normal

Client Case or Ref # ██████████

MSI Tissue Source Rectal Polyp

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Mismatch Repair by IHC, Result	23-139-148018	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Mismatch Repair by IHC with MLH1	23-139-148018	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Mismatch Repair by IHC with MSH2	23-139-148018	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Mismatch Repair by IHC with MSH6	23-139-148018	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Mismatch Repair by IHC with PMS2	23-139-148018	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Client Case or Ref #	23-139-148018	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
MSI Tissue Source	23-139-148018	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: