

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/23/1962
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Hepatitis C Virus Antibody by CIA

ARUP test code 2002483

Hepatitis C Antibody by CIA Interp

Negative (Ref Interval: Negative)

INTERPRETIVE INFORMATION:

Hepatitis C Virus Antibody by CIA Index:

0.79 IV or less Negative
0.80 to 0.99 IV Equivocal
1.00 to 10.99 IV Low Positive
11.00 IV or greater High Positive
Index value (IV) = Anti-HCV signal to cutoff (S/C) ratio

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis C Antibody by CIA Index

0.16 IV

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis C Antibody by CIA Interp	19-352-116151	12/18/2019 10:37:00 AM	12/19/2019 4:55:26 PM	12/19/2019 10:31:00 PM
Hepatitis C Antibody by CIA Index	19-352-116151	12/18/2019 10:37:00 AM	12/19/2019 4:55:26 PM	12/19/2019 10:31:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: