

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 3/19/1934
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Clostridium difficile Cytotoxin Antibody by Neutralization

ARUP test code 2002552

C. difficile Cytotoxin Antibody

1:8 Titer H

REFERENCE RANGE: <1:2
The titer is defined as the final serum dilution that demonstrates toxin neutralization. This assay measures total antibody and does not distinguish IgG, IgM or IgA. While the full scope of the relationship of antibodies to protection is not clearly defined, elevated titers have been reported to be associated with reduced relapse risk and to asymptomatic carriage. This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.
For additional information, please refer to <http://education.questdiagnostics.com/faq/FAQ136> (This link is being provided for informational/educational purposes only.)
Performed at Quest Diagnostics Nichols Institute, 33608 Ortega Highway, San Juan Capistrano, CA 92675, Irina Maramica MD, Ph.D, Director, CLIA 05D0643352

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
C. difficile Cytotoxin Antibody	22-232-400286	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: