

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 9/24/2004  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Anti-Mullerian Hormone**

ARUP test code 2002656

Anti-Mullerian Hormone

6.255 ng/mL (Ref Interval: 2.079-30.656)

INTERPRETIVE INFORMATION: Anti-Mullerian Hormone

**FEMALE:**

6 months - 14 years: 0.256 - 6.345 ng/mL  
15-17 years: 0.861 - 10.451 ng/mL  
18-29 years: 0.401 - 16.015 ng/mL  
30-39 years: 0.176 - 11.705 ng/mL  
40-45 years: 6.282 ng/mL or less  
46-50 years: 0.064 ng/mL or less  
Post-menopausal: 0.003 ng/mL or less

**MALE:**

6-11 months: 56.677 - 495.299 ng/mL  
1-6 years: 33.442 - 342.450 ng/mL  
7-9 years: 20.245 - 189.781 ng/mL  
10-12 years: 2.903 - 178.243 ng/mL  
13 years and older: 2.079 - 30.656 ng/mL

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Anti-Mullerian Hormone	22-175-113859	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: