

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/12/1958
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Factor XIII, Qualitative, with Reflex to Factor XIII 1:1 Mix

ARUP test code 2002819

Factor XIII, Qualitative No Lysis (Ref Interval: No Lysis)

Factor XIII, 1:1 Mix

Not Applicable

Clot lysis was not observed in the qualitative factor XIII screening test. This pattern suggests that severe factor XIII deficiency is not present. However, this test does not identify mild or moderate deficiency, treated deficient patients, or patients with weak inhibitors that do not decrease factor XIII activity to less than 1% of normal.

In this test, clot lysis only occurs in samples with severe factor XIII deficiency (less than approximately 1% of normal activity). Severe deficiency may be inherited or acquired (typically due to a factor XIII antibody).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Factor XIII, Qualitative	20-268-155956	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Factor XIII, 1:1 Mix	20-268-155956	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: