

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/31/1979  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Human T-Lymphotropic Virus Types I/II DNA, Qualitative Real-Time PCR**

ARUP test code 2003075

**HTLV-I DNA**

NOT DETECTED

This assay may demonstrate reduced analytical sensitivity for HTLV-I non subtype A strains.

**HTLV-II DNA**

NOT DETECTED

REFERENCE RANGE: NOT DETECTED  
This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Infectious Disease. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.  
Performed at Quest Diagnostics Infectious Disease, 33608 Ortega Highway, San Juan Capistrano, CA 92675, Hollis J. Batterman MD, Director, CLIA 05D0644251

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HTLV-I DNA	21-029-400037	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HTLV-II DNA	21-029-400037	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: