

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example
DOB 6/16/1943
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Anti-IgA Antibody by ELISA
ARUP test code 2003126

Anti-IgA Antibody by ELISA 320 U/mL H (Ref Interval: <99)

Patients with IgG antibodies against IgA may suffer from anaphylactoid reactions when given IVIG that contains small quantities of IgA. In one study (Clinical Immunology 2007;122:156) five out of eight patients with IgG anti-IgA antibodies developed anaphylactoid reactions when IVIG was administered.

*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Performed at:
Eurofins Viracor, LLC
18000 W. 99th Street, Suite 10
Lenexa, KS 66219
Lab Director: Brock Neil, PhD BCLD (ABB)
CLIA # 26D-0983643

| VERIFIED/REPORTED DATES | | | | |
|----------------------------|---------------|------------------|------------------|-------------------|
| Procedure | Accession | Collected | Received | Verified/Reported |
| Anti-IgA Antibody by ELISA | 23-232-101886 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical