

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/4/1945  
Gender: Male  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Collection Date: 00/00/0000 00:00

Anti-IgA Antibody by ELISA  
ARUP test code 2003126

Anti-IgA Antibody by ELISA

<99 U/mL (Ref Interval: <99)

Patients with IgG antibodies against IgA may suffer from anaphylactoid reactions when given IVIG that contains small quantities of IgA. In one study (Clinical Immunology 2007;122:156) five out of eight patients with IgG anti-IgA antibodies developed anaphylactoid reactions when IVIG was administered.

\*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Performed at:  
Eurofins Viracor, LLC  
18000 W. 99th Street, Suite 10  
Lenexa, KS 66219  
Lab Director: Brock Neil, PhD BCLD (ABB)  
CLIA # 26D-0983643

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Anti-IgA Antibody by ELISA	23-220-126763	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: