

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/25/1990
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Vitamin B[7] (Biotin)

ARUP test code 2003184

Vitamin B7 (Biotin)

500.0 pg/mL (Ref Interval: 221.0-3004.0)

Reference Range:
Pediatric < 12 yrs: 100.0 - 2460.2 pg/mL
Adult > or = 12 yrs: 221.0 - 3004.0 pg/mL
The performance characteristics of the listed assay was validated by BioAgilytix Diagnostics. The US FDA has not approved or cleared this test. The results of this assay can be used for clinical diagnosis without FDA approval. BioAgilytix Diagnostics is a CLIA certified, CAP accredited laboratory for performing high complexity assays such as this one. Testing Performed at: BioAgilytix Diagnostics 1320 Soldiers Field Road, Boston, MA 02135

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Vitamin B7 (Biotin)	20-247-103652	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: