

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 1/10/1951  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Inhibitor Assay, PT with Reflex to PT 1:1 Mix**

ARUP test code 2003260

PT, Inhibitor Screen **22.2 sec H** (Ref Interval: 12.0-15.5)

PT 1:1 mixing study added.  
A PT-based inhibitor is detected.  
The PT is prolonged and does not correct in a 1:1 mix with pooled normal plasma. Possibilities include a specific factor inhibitor, high heparin concentration, direct thrombin inhibitor, factor Xa inhibitor, dysfibrinogenemia, or monoclonal proteins. This pattern can occasionally be seen in the presence of multiple or severe factor deficiencies or with rare lupus anticoagulants. Please correlate clinically.

**PT, Inhibitor Screen, 1:1 Mix**

ARUP test code 2003264

PT, Inhibitor Screen, 1:1 Mix **16.5 sec H** (Ref Interval: 12.0-15.5)

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
PT, Inhibitor Screen	21-087-400022	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
PT, Inhibitor Screen, 1:1 Mix	21-087-400022	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical